



8 Hasting Close  
Bray  
Berks  
SL6 2DA  
United Kingdom

t: +44 1628 626098  
f: +44 1628 681566  
e: [sales@antrica.com](mailto:sales@antrica.com)



[www.antrica.com](http://www.antrica.com)

# ANTRICA

VIDEO OVER IP SOLUTIONS

## IP & HD-SDI Camera Range



Sports & CCTV Cameras

Full HD Sports PTZ

1920 x 1080 @ 60fps

IR & Rain Wiper

Day & Night IR

X30 Zoom

ONVIF Profile S

3G HD-SDI

[www.antrica.com](http://www.antrica.com)

## ANT-SP1080P60X30 Sports PTZ



### Key Features

The ANT-3SP1080P60X30 is a new full HD 1920 x 1080 P60 speed dome . Featuring both Network IP camera and 3G-HD-SDI outputs.

A 30X P60 analogue zoom module allows for both RS485 Low Latency PTZ control for Sports applications plus fully featured over IP network PTZ control.

ONVIF profile S allows the camera to interface to any VMS compliant with ONVIF for live viewing , recording and PTZ control.

The 30X analogue zoom is ideal for tracking Sports players and with accurate analogue zoom. Near zero HD-SDI latency allows for accurate PTZ control .

Quad streams , AAC and G711 audio make this camera ideal for live tracking of fast moving objects or people as well as over IP recording.

RTSP and MPEG-TS streaming

PoE RS232/485 PTZ 12V Dc or 24Volts AC PSU plus IP66 weather resistant.

1920 x 1080 @ 60fps

3G HD-SDI plus IP

ONVIF Profile S

Quad Stream



## ANT-3B200SE 1080P60 Box Camera



### Key Features

The ANT-3B200SE is a full HD 1920 x 1080 box camera with 60 frames per second performance.

Fully ONVIF profile S compliant the camera may be used with a Free VMS supplied or any ONVIF VMS such as Milestone etc .

Offering both over IP streaming and near zero 3G HD-SDI latency , the camera is ideal for monitoring and Network recording.

The camera features a standard C/CS mount lens system allowing users to select a lens of their choice Wide angle to telephoto lenses are available from multiple suppliers.

0.07 Lux colour and 0.001 Lux B/W makes this camera ideal for indoor applications with low light conditions.

Quad streams may be set up and the camera can be powered from 12v DC or PoE.

Streaming is either RTSP (ONVIF) or MPEG TS with both AAC and G.711 audio support

1920 x 1080 @ 60fps

3G HD-SDI + ONVIF IP

C/CS Mount Lens

Low Cost



## ANT-3B203CEIR 3X Optical Day Night

## ANT-SBI080P60X30 Full HD X30 Zoom



### Key Features

The ANT-3B203CEIR is a full HD 1920 x 1080 bullet camera with 60 frames per second performance. With motorised 3X zoom the camera may be adjusted over the IP link

IR illumination allows both Outdoor or indoor use

Fully ONVIF profile S compliant the camera may be used with a Free VMS supplied or any ONVIF VMS such as Milestone etc .

The camera is ideal for monitoring and Network recording.

The camera features a 24 pcs LEDs for up to 20m of IR illumination at night.

0.1 Lux colour and 0.001 Lux B/W makes this camera ideal for indoor applications with low light conditions.

Quad streams may be set up and the camera can be powered from 12v DC or PoE.

Streaming is either RTSP (ONVIF) or MPEG TS with both AAC and G.711 audio support

**1920 x 1080 @ P60**

**ONVIF Profile S**

**Day & Night IR**

**3X Analogue Zoom**



### Key Features

The ANT-SB1080P60X30 (+3G-HD-SDI raw output) 30x Analogue Zoom is the latest generation 1080P60 camera offering 60 Frames Per Second performance at 1920 x 1080.

Using the latest Sony x30 zoom module and supporting full 60 frames per second at all resolutions. Offered with either Composite or 3G HD-SDI direct low latency video outputs.

Featuring Dual outputs (Ethernet IP and 3G HD-SDI) this new range of cameras offers compressed streaming using H.264 ONVIF over any IP network plus uncompressed 3G HD-SDI over 100m cable run (HDMI with Converter).

Streaming in RTSP or MPEG Transport stream provides the best formats for use with third party decoders in Medical ,Digital Signage CCTV and various other markets.

Audio is supported as either G711 or Higher Quality AAC stereo , two way. DC 12v or PoE power with RS485 PTZ control (Zoom only in this camera)

**1920 x 1080 @ 60fps**

**3G HD-SDI + IP**

**X30 Zoom + ONVIF**

**AAC & G711 Audio**



## ANT-SP1080P60X10 Mini Sports PTZ



**1080P60 X10 Zoom**

**3G HD-SDI + IP**

**ONVIF Profile S**

**Small Mini Dome**

### Key Features

The ANT-3SP1080P60X10 is a new full HD 1920 x 1080 P60 speed dome . Featuring both Network IP camera and 3G-HD-SDI outputs.

A 10X analogue zoom module allows for both RS485 Low Latency PTZ control for Sports applications plus fully featured over IP network PTZ control.

ONVIF profile S allows the camera to interface to any VMS compliant with ONVIF for live viewing , recording and PTZ control.

The HD-SDI output offers near zero latency for accurate Pan Tilt and Zoom control

The 10X analogue zoom is ideal of both wide angle viewing such as pitch side as well as intermediate zoom to focus on specific objects.

RTSP streaming to VLC or ONVIF VMS

PoE RS232/485 PTZ 24Volts AC PSU plus IP66 weather resistant.

## ANT-3SDIX20/30 Full HD HD-SDI PTZ



**Full HD PTZ Camera**

**HD-SDI 1080P30**

**20X & 30X Zoom**

**IR and Rain Wiper**

### Key Features

The ANT-3SDIX20 (20X & 30X Analogue Zoom) is a Full HD PTZ camera with HD-SDI video output. This camera is ideal for the latest HD-SDI CCTV systems and also for the Sports market.

Featuring a scalable HD-SDI coax output capable of working over a 100m of coax cable. This camera has both day and night operation with Infra Red illumination during darkness. Fully IP66 water proof this camera features a wiper to clear the lens of rain drops under RS485 Pelco D control.

Aimed at low cost sports analysis applications and combined with a pump up mast this camera can be quickly deployed to track sports men and women on tracks and pitches.

The X20 analogue zoom allows detailed inspection of individuals performance at extreme distances.

HD-SDI at 1920 x 1080 resolution can be captured into Mac or Windows laptops / PCs and then recorded and analysed using 'Sportcode' or other sports software.

